













## VI. CONCLUSION

This paper quantified the issue queue delay, and showed the delay for various queue sizes. Our evaluation results are useful as a quick reference in microarchitectural design. In the evaluation, we designed the banked tag RAM, and identified the correct critical path of the issue queue. With these optimizations, the issue queue delay is reduced by up to 20% in the sizes we explored, compared with a simple design with a monolithic tag RAM and simple calculation of the delay.

## ACKNOWLEDGMENT

The authors thank anonymous reviewers for their useful comments. This work is supported by the Ministry of Education, Culture, Sports, Science and Technology Grant-in-Aid for Scientific Research (C)(No. 22500045). This work is also supported by VLSI Design and Education Center (VDEC), the University of Tokyo with the collaboration with Synopsys Inc.

## REFERENCES

- [1] L. Gwennap, "Sandy Bridge spans generations," *Microprocessor Report*, 9/27/10-01, 2010.
- [2] S. Palacharla, N. P. Jouppi, and J. E. Smith, "Quantifying the complexity of superscalar processors," University Wisconsin, Tech. Rep. CS-TR-1996-1328, November 1996.
- [3] M. Goshima, K. Nishino, Y. Nakashima, S. Mori, T. Kitamura, and S. Tomita, "A high-speed dynamic instruction scheduling scheme for superscalar processors," in *Proceedings of the 34th Annual International Symposium on Microarchitecture*, December 2001, pp. 225–236.
- [4] M. D. Brown, J. Stark, and Y. N. Patt, "Select-free instruction scheduling logic," in *Proceedings of the 34th Annual International Symposium on Microarchitecture*, December 2001, pp. 204–213.
- [5] E. Brekelbaum, J. Rupley, C. Wilkerson, and B. Black, "Hierarchical scheduling windows," in *Proceedings of the 35th Annual International Symposium on Microarchitecture*, November 2002, pp. 27–36.
- [6] S. Palacharla, N. P. Jouppi, and J. E. Smith, "Complexity-effective superscalar processors," in *Proceedings of the 24th Annual International Symposium on Computer Architecture*, June 1997, pp. 206–218.
- [7] L. Gwennap, "AMD Bulldozer plows new ground," *Microprocessor Report*, 8/30/10-01, 2010.
- [8] M. Goshima, "Research on high-speed instruction scheduling logic for out-of-order ILP processors," Ph.D. dissertation, Kyoto University, 2004.
- [9] P. G. Sassone, J. R. II, E. Brekelbaum, G. H. Loh, and B. Black, "Matrix scheduler reloaded," in *Proceedings of the 34th Annual International Symposium on Computer Architecture*, June 2007, pp. 335–346.
- [10] <http://www.mosis.com/>.
- [11] W. Zhao and Y. Cao, "New generation of predictive technology model for sub-45nm design exploration," in *Proceedings of the 7th International Symposium on Quality Electronic Design*, March 2006, pp. 585–590.
- [12] <http://www.eas.asu.edu/~ptm/>.
- [13] International Technology Roadmap for Semiconductors, 2010 update (<http://www.itrs.net/>).